

Hoteza HotPad

A multilingual interactive guest services application designed for room-based tablets

Hoteza HotPad benefits everyone: guests receive an unforgettable experience staying at a hotel, while the hotel gets an **efficient marketing tool** for communicating with guests.

Hoteza HotPad features:

- ✓ Welcome screen
- ✓ Hotel information
- ✓ PMS interface
- ✓ Guest Messages
- ✓ View bill
- ✓ Statistics Module
- ✓ Multilingual Support
- ✓ Restaurant and SPA booking
- ✓ Wake up service
- ✓ Photo gallery
- ✓ In-Room Services
- ✓ Hotel Services
- ✓ Feedback
- ✓ Hoteza CMS
- ✓ Promotions
- ✓ Room Control (GRMS)
- ✓ City guide
- ✓ In-App Browser
- ✓ Web Radio
- ✓ Express check-out
- ✓ TV remote control
- ✓ TV Channels Mosaic



Supported languages:

- Arabic
- Chinese (Simplified)
- Chinese (Traditional)
- Croatian
- Danish
- English
- Finnish
- French
- German
- Italian
- Japanese
- Kazakh
- Korean
- Norwegian
- Persian
- Russian
- Serbian
- Slovenian
- Spanish
- Swedish
- Turkish
- Ukrainian
- Vietnamese
- any other by request


HotPad compatible tablets

iOS devices

iPad
iPad 2
iPad (3rd generation)
iPad Mini
iPad (4th generation)
iPad Air
iPad Mini 2
iPad Mini 3
iPad Air 2
iPad Mini 4
iPad Pro (1st, 12.9")
iPad Pro (1st, 9.7")
iPad (5th generation)
iPad Pro (2nd, 10.5" /12.9")
iPad (6th generation)
iPad Pro (3rd, 11" /12.9")
iPad Air (3rd generation)
iPad mini (5th generation)
iPad (7th generation)

Android devices

Samsung Galaxy Tab S2 9.7
Samsung Galaxy Tab S2 8.0 (2016)
Samsung Galaxy Tab S2 9.7 (2016)
Samsung Galaxy Tab S3
Samsung Galaxy Tab S4
Samsung Galaxy Tab S5e
Samsung Galaxy Tab A 10.1 (2019)
Samsung Galaxy Tab A 8 (2019)
Other tablet 1024x768*
Other tablet other resolution*



****Testing required before implementation***

HotPad server system requirements*

Option 1 - hardware server

Model: Dell R230 or better
CPU: 1 Xeon E3 1230 or better
RAM: 4 GB
HDD: 100 GB
NIC: 4x1 Gbit ports

****Not needed if Hoteza TV is installed***

Option 2 - virtual machine

Hypervisor: Hyper-V or VMware
CPU: 4 x vCPU or more
RAM: 4 GB (not shared)
HDD: 100 GB (1 TB if VoD)
NIC: 4x1 Gbit ports (not shared)

Hoteza HotPad compatible PMS

FIAS API (TCP/IP only)

- Opera/Fidelio
- Libra/Epitome (not all methods, ask Libra partner for more information)
- Protel
- Laserline
- WISH .NET
- UCS Shelter (from v.2.12.118.2325)
- IDS Next
- Diventa
- Theova UHS
- Logisoft
- Pylon
- Sunsoft
- IDB
- Hotelinco

WebAPI

- Edelweiss
- WestSoft
- Logus
- Mews
- Clock
- 1c hotel
- CQR
- StayNTouch
- Rentilo
- KorPMS (HREC*KOR) under development

Hoteza Hotpad compatible job dispatch systems

- HotelKit
- TeamJet
- Flexkeeing
- HotSos
- Teamatix

Hoteza HotPad compatible POS systems

- Micros Symphony (v. 2.7 or later)
- Micros RES 3700
- Aloha

Hoteza HotPad compatible GRMS (Room Control)

We support all KNX and Modbus systems. Among them:

- Inncom
- Schneider China
- Wantong
- JOBO
- EMT Control
- Black Nova
- Rockwell Automation
- ETC
- AMX
- eKey
- Scheider Electric
- ABB
- Z-Wave
- Wago
- HDL
- Creston Busch-Jaeger
- Gewiss
- Danfoss
- Segnetics
- + any KNX and Modbus systems